# The Crook-Miller Company

10 Railroad St., Hicksville, Ohio 43526 (419) 542-7755 1-800-633-7334



# Garden Tools Replacement Handles

A-88

**The Crook-Miller Co.** has been manufacturing quality wood handles for over 115 years. We make all our own Ferrules, Caps and D-Tops in our metal stamping facilities at our Hicksville Plant. Crook-Miller's reputation for quality and customer service is a result of total control from kiln-drying, manufacturing all components and finishing.

## MATERIAL

Our handles are manufactured exclusively from kiln-dryed select Northern White Ash except the Leaf Rake, Push Broom and Wheelbarrow handles, which use woods more suitable to their application.

## GRADES

**HARVEST KING:** (designated by using number "2" before product number)

Our best selling retail grade made from prime grade "A" Ash selected for weight and straight grain. Harvest King also has our unique Buyer's Guide Labels that show a picture of the tools that the handle fits plus installation instruction. Factory installed hang staples and sales producing merchandising program available only in Harvest King grade..

## FINISH

All handles, unless otherwise noted, are char-grained and lacquer sealed to provide the finest finish available on the market.

## STANDARD PACKING:

All handles are standard packed in bundles of twelve except wheelbarrow handles that are packed 6 to a bundle.

## CUSTOM MADE HANDLES

If you cannot find the handle you require in this catalog, we will be pleased to quote on your needs upon receipt of a sample, sketch or blueprint.

©The Crook-Miller Co. 1988

## HAY FORK-BENT

| Item Number | Length | Dia. | Bore Dia. | Ferrule & Cap-Length | Weight Per Doz. |
|---|---|---|---|---|---|
| A40 | 4 ft. | 1-7/16'' | 7/16'' | 10'' | 22 lb. |
| A 45 | 4-1/2 ft. | 1-7/16'' | 7/16'' | 10'' | 24 lb. |

## BENT MANURE-ALFALFA-BARLEY & HEADER FORK

| Item Number | Length | Dia. | Bore Dia. | Ferrule & Cap-Length | Weight Per Doz. |
|---|---|---|---|---|---|
| D40 | 4 ft. | 1-7/16'' | 1/2'' | 10'' | 24 lb. |
| D45 | 4-1/2 ft. | 1-7/16'' | 1/2'' | 10'' | 26 lb. |

## BENT HEAVY ENSILAGE-COAL-STONE FORK

| Item Number | Length | Dia. | Bore Dia. | Ferrule & Cap-Length | Weight Per Doz. |
|---|---|---|---|---|---|
| E30R | 30'' | 1-1/2'' | 5/8'' | 10-1/4'' | 28 lb. |
| E32R | 32'' | 1-1/2'' | 5/8'' | 10-1/4'' | 30 lb. |

## BENT SPADING FORK
(with Ferrule & Cap)

| Item Number | Length | Dia. | Bore Dia. | Ferrule & Cap-Length | Weight Per Doz. |
|---|---|---|---|---|---|
| F30R | 30'' | 1-1/2'' | 9/16'' | 10-1/4'' | 28 lb. |

## BENT SPADING FORK & SHOVEL
(Lock Socket Pattern - Without Ferrule)

| Item Number | Length | Dia. | Taper Length | Chuck Taper | Weight Per Doz. |
|---|---|---|---|---|---|
| FP30R | 30'' | 1-1/2'' | None 5'' | 1-1/2 to 1 | 21 lb. |

## BENT MANURE-ALFALFA-BARLEY & HEADER FORK

| Item Number | Length | Dia. | Bore Dia. | Ferrule & Cap-Length | Weight Per Doz. |
|---|---|---|---|---|---|
| G32R | 32'' | 1-1/2'' | 1/2'' | 10'' | 28 lb. |

## LIGHT-RAKE-HOE-CULTIVATOR
Shank Pattern-Light Garden, Meadow, Cotton, & Field Hoes-Garden Rakes-Scrapers-Cultivators

| Item Number | Length | Dia. | Bore Dia. | Ferrule Length | Weight Per Doz. |
|---|---|---|---|---|---|
| H40 | 4 ft. | 1-1/4'' | 7/16'' | 3-3/4'' | 15 lb. |
| H45 | 4-1/2 ft. | 1-1/4'' | 7/16'' | 3-3/4'' | 17 lb. |
| H50 | 5 ft. | 1-1/4'' | 7/16'' | 3-3/4'' | 19 lb. |

## LIGHT-HOE & SCRAPER

Socket Pattern
(No Ferrule or Bore)

| *Item Number* | *Length* | *Dia.* | *Chuck Length* | *Chuck Taper* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| **140** | 4 ft. | 1-1/4'' | 3-1/4'' | 1-1/16'' to 3/4'' | 13 lb. |
| **145** | 4-1/2 ft. | 1-1/4'' | 3-1/4'' | 1-1/16'' to 3/4'' | 15 lb. |
| **150** | 5 ft. | 1-1/4'' | 3-1/4'' | 1-1/16'' to 3/4'' | 16 lb. |

## HOE-MEADOW & COTTON

Shank in Socket Pattern

| *Item Number* | *Length* | *Dia.* | *Bore* | *(No Ferrule)* | *Chuck Length* | *Chuck Taper* | *Weight Per Doz.* |
|---|---|---|---|---|---|---|---|
| J45 | 4-1/2'' | 1-1/4'' | 7/16'' | | 3-1/2'' | 1'' to 11/16'' | 15 lb. |

## HOE-MEDIUM-COTTON-FIELD

| *Item Number* | *Length* | *Dia.* | *Bore* | *Ferrule* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| K50 | 60'' | 1-3/8'' | 1/2'' | 4-1/4'' | 25 lb. |

## HOE-HEAVY-MORTAR, COTTON, PLANTER

| *Item Number* | *Length* | *Dia.* | *Bore* | *Ferrule & Cap* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| M45 | 54'' | 1-3/8'' | 5/8'' | 8'' | 26 lb. |
| M50 | 60'' | 1-3/8'' | 5/8'' | 8'' | 29 lb. |
| M60 | 72'' | 1-3/8'' | 5/8'' | 8'' | 33 lb. |

## EYE HOE-GARDEN MATTOCKS-SCOVIL

| *Item Number* | *Length* | *Eye Dia.* | *Weight Per Doz.* |
|---|---|---|---|
| N45 | 54'' | 1-3/4'' | 22 lb. |
| N50 | 60'' | 1-3/4'' | 24 lb. |
| PH4 | 48'' | 1-1/2'' | 14 lb. |
| PH45 | 54'' | 1-1/2'' | 16 lb. |

## HOOK-POTATO-MANURE-STONE

| *Item Number* | *Length* | *Dia.* | *Bore* | *Ferrule Length* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| U50 | 60'' | 1-3/8'' | 9/16'' | 4-1/4'' | 24 lb. |
| U55 | 66'' | 1-3/8'' | 9/16'' | 4-1/4'' | 26 lb. |
| U60 | 72'' | 1-3/8'' | 9/16'' | 4-1/4'' | 28 lb. |

## RAKE-SOCKET STYLE

Lawn & Garden

| *Item Number* | *Length* | *Dia.* | *Bore Dia.* | *Chuck Length* | *Chuck Taper* | *Weight Per Doz.* |
|---|---|---|---|---|---|---|
| S50 | 60'' | 1-1/4'' | 7/16'' | 3-1/2 | 1'' to 11/16 | 17 lb. |

## LEAF RAKE

Socket Style

| Item Number | Length | Dia. | Chuck Length | Chuck Taper | Weight Per Doz. |
|---|---|---|---|---|---|
| LR50 | 60'' | 1'' | 3'' | 1'' to 9/16'' | 12 lb. |

## HOLLOWBACK SHOVEL

Straight With Shoulder & Saw Slot

Round & Square Point: Utility Shovels, Spades and Steel Scoops

| Item Number | Length | Dia. | Chuck Length | Chuck Taper | Weight Per Doz. |
|---|---|---|---|---|---|
| APS-4 | 48'' | 1-1/2'' | 6-1/2'' | 1-3/8'' to 7/8'' | 19 lb. |

## DEE HANDLE HOLLOWBACK SHOVEL

Straight With Shoulder & Saw Slot

Round & Square Point: Utility Shovels, Spades and Steel Scoops

| Item Number | Length | Dia. | Chuck Length | Chuck Taper | Weight Per Doz. |
|---|---|---|---|---|---|
| APS-30R | 30'' | 1-1/2'' | 6-1/2'' | 1-3/8'' to 7/8'' | 20 lb. |

## HOLLOWBACK SHOVEL

Bent with Shoulder

Round & Square Point: Spades-Sluminum Scoops & Utility Shovels

| Item Number | Length | Dia. | Chuck Length | Chuck Taper | Weight Per Doz. |
|---|---|---|---|---|---|
| SH4 | 48'' | 1-1/2'' | 6-1/2'' | 1-3/8'' to 7/8'' | 19 lb. |
| SH45 | 54'' | 1-1/2'' | 6-1/2'' | 1-3/8'' to 7/8'' | 21 lb. |

## DEE HANDLE HOLLOWBACK SHOVEL

Bent with Shoulder

Round & Square Point: Spades-Aluminum Scoops & Utility Shovels

| Item Number | Length | Dia. | Chuck Length | Chuck Taper | Weight Per Doz. |
|---|---|---|---|---|---|
| SH30R | 30'' | 1-1/2'' | 6-1/2'' | 1-3/8'' to 7/8'' | 20 lb. |
| SH42R | 42'' | 1-1/2'' | 6-1/2'' | 1-3/8'' to 7/8'' | 28 lb. |

## SOLID SHANK SHOVEL

Round & Square Point Shovels & Spades

| Item Number | Length | Dia. | Chuck Length | Chuck Taper | Weight Per Doz. |
|---|---|---|---|---|---|
| TK44 | 44'' | 1-1/2'' | 5'' | 1-1/2'' to 1'' | 16 lb. |
| TK46 | 46'' | 1-1/2'' | 5'' | 1-1/2'' to 1'' | 17 lb. |
| TK4 | 48'' | 1-1/2'' | 5'' | 1-1/2'' to 1'' | 18 lb. |



## DEE HANDLE SOLID SHANK SHOVEL

Round & Square Point Shovels & Spades

| Item Number | Length | Dia. | Chuck Length | Chuck Taper | Weight Per Doz. |
|---|---|---|---|---|---|
| TK24R | 24'' | 1-1/2'' | 5'' | 1-1/2'' to 1'' | 17 lb. |

## CLOSED AND HOLLOW BACK SHOVELS

Single Bend - No Shoulder

Round & Square Point: Shovels-Spades-Scoops

| *Item Number* | *Length* | *Dia.* | *Chuck Length* | *Chuck Taper* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| FS-40 | 48'' | 1-1/2'' | 11-1/2'' | 1-1/2'' to 3/4'' | 15 lb. |
| FS-51 | 51'' | 1-1/2'' | 11-1/2'' | 1-1/2'' to 3/4'' | 17 lb. |

## PONY-SOLID SHANK

Straight-With Shoulder

Round & Square Point: Shovels & Spades

| *Item Number* | *Length* | *Dia.* | *Chuck Length* | *Chuck Taper* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| KK-44 | 44'' | 1-1/2'' | 5-1/2'' | 1-3/8'' to 1-1/8'' | 16 lbs. |

## PONY-SOLID SHANK

Straight-With Shoulder

| *Item Number* | *Length* | *Dia.* | *Chuck Length* | *Chuck Taper* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| KK-24R | 24'' | 1-1/2'' | 5-1/2'' | 1-5/16'' to 3/4'' | 17 lb. |

## RAZORBACK SHOVEL & SPADE

Simple Bend - No Shoulder

| *Item Number* | *Length* | *Dia.* | *Chuck Length* | *Chuck Taper* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| RB-4 | 48'' | 1-1/2'' | 11'' | 1-1/2'' to 7/8'' | 19 lb. |

## POST HOLE DIGGER

Round and Square

| *Item Number* | *Length* | *Handle Dia.* | *Butt Style* | *Butt Size* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| RD-4 | 4 ft. | 1-1/2'' | Round | 1-1/2'' | 19 lb. |
| SD-4 | 4 ft. | 1-3/8'' | Square | 1-3/8'' | 18 lb. |

## WHEELBARROW

Contractor Grade & Size-Unbored-Northern Hardwood-Lacquer Finish

(Including Wedge)

| *Item Number* | *Length* | *Dimension* | *Weight Per 6* |
|---|---|---|---|
| WH-5 | 5 ft. | **1-9/16'' x 1-13/16'' x 2''** (wedge included) | 38 lbs. |

# PUSHBROOM HANDLES

## RAMIN TAPERED

Street, Garage or Barn Brooms
Sand and Lacquer Finish

| *Item Number* | *Length* | *Dia.* | *Taper* | *Taper Length* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| 154 | 54" | 1-1/8" | 1-1/8" to 3/4" | 3" | 13 lb. |
| 160 | 60" | 1-1/8" | 1-1/8" to 3/4" | 3" | 15 lb. |
| 172 | 72" | 1-1/8" | 1-1/8" to 3/4" | 3" | 19 lb. |

## RAMIN THREADED

Sand and Lacquer Finish

| *Item Number* | *Length* | *Dia.* | *Thread Dia.* | *Thread Length* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| 354 | 54" | 15/16" | 3/4" | 1" | 12 lb. |
| 360 | 60" | 15/16" | 3/4" | 1" | 14 lb. |
| 372 | 72" | 15/16" | 3/4" | 1" | 18 lb. |

## RAMIN METAL THREAD

Sand and Lacquer Finish

| *Item Number* | *Length* | *Dia.* | *Thread Dia.* | *Thread Length* | *Weight Per Doz.* |
|---|---|---|---|---|---|
| 554 | 54" | 15/16" | 3/4" | 1" | 12 lb. |
| 560 | 60" | 15/16" | 3/4" | 1" | 14 lb. |
| 572 | 72" | 15/16" | 3/4" | 1" | 18 lb. |

The following is a comparison of Crook-Miller with Ames, True Temper and Union repair handles. In their catalogs they give the replacement handle number for each tool. This list gives you a quick conversion to Crook-Miller numbers.

## CROOK-MILLER
## LAWN AND GARDEN TOOL REPLACEMENT HANDLE COMPARISON CHART

| Ames | | **Crook Miller** |
|---|---|---|
| 2LF | 20-631 | KK44 |
| X2AF | 20-642 | TK24R |
| 2LR | 20-625 | TK46 |
| 1LF | 20-568 | FS51 |
| 2LES | 20-603 | TK4 |
| 3LES | 20-540 | FS40 |
| 3A | 20-531 | APS30R |
| 3L | 20-533 | APS4 |
| GLR48 | 20-501 | LR50 |
| OL48 | 20-088 | LR50 |
| LRH54 | 20-206 | S50 |
| 2LCP5 | 20-159 | R50 |
| RP5 | 20-091 | R50 |
| LP5 | 20-093 | R50 |
| FP | 20-128 | K40 |
| GH4-1/3 | 20-142 | I45 |
| 2COP5 | 20-152 | K50 |
| GHP4-1/3 | 20-108 | H45 |
| SM5 | 20-163 | I50 |
| RAST | 20-048 | F30R |
| XHAT | 20-056 | E30R |
| 2 COP 4-1/2 | 20-154 | U50 |
| MT4 | 20-035 | D40 |
| MT4-1/2 | 20-036 | D45 |
| HBT4-1/2 | 20-010 | D45 |
| ALH4 | 20-705 | RD4 |
| XMOP | 20-182 | M50 |

| True Temper | **Crook Miller** |
|---|---|
| TR5 | K50 |
| TBR43 | LR50 |
| TR43 | H45 |
| TRS43 | I40 |
| THS45 | I45 |
| TRS5 | I50 |
| TC5 | K50 |
| TP5 | M50 |
| TMHR45 | PH4 |
| TGSE | F30R |
| THB4 | A40 |
| THB5 | A45 |
| TM4 | D40 |
| TM45 | D45 |
| TEC | E30R |
| TA55 | M60 |
| PDH4 | SD4 |
| T445 | TK44 |
| TE24 | TK24R |
| T48H | APS4 |
| TEH | APS3OR |

| Union | | **Crook Miller** |
|---|---|---|
| LWCBJL-IB | 580-538 | SH4 |
| LWOBR-IB | 580-643 | SH4 |
| 575 | 903-841 | TK44 |
| 1004 | 905-801 | RB4 |
| 1005 | 905-844 | SH30R |
| 1016 | 905-941 | ASP4 |
| 1011 | 905-909 | ASP4 |
| 585 | 904-007 | SH4 |
| 1017 | 905-968 | ASP30R |
| 590 | 904-201 | SH30R |
| 590-40D | 903-655 | SH42R |
| 49 | 900-265 | A40 |
| 100 | 900-702 | D40 |
| 102 | 903-191 | D45 |
| 121 | 900-966 | D48 |
| 170 | 901-229 | E30R |
| 228 | 902-047 | I45 |
| 343 | 903-124 | LR50 |
| 250 | 902-284 | H45 |
| 321 | 902-861 | H50 |
| 331 | 902-985 | R50 |
| 332 | 903-000 | U50 |
| 963 | 905-143 | K50 |
| 904 | 903-531 | RD4 |

The Crook-Miller Company

10 Railroad St., Hicksville, Ohio 43526 (419) 542-7755 1-800-633-7334

# THE CROOK-MILLER CO.

*A Division of Baker-McMillen Co.*

10 Railroad St., Hicksville, Ohio 43526

800-633-7334
FAX-419-542-6590

800-633-7334
FAX-419-542-6590

## LAWN & GARDEN TOOL REPLACEMENT HANDLES
## WHOLESALE PRICE LIST

OCTOBER 1989

| GLADIATOR PART NO. | PRICE | DEE TOP | HARVEST KING PART NO. | PRICE | LENGTH | WEIGHT PER DOZ. |
|---|---|---|---|---|---|---|
| OA40 | $ 4.20 | | 2A40 | $ 4.50 | 48" | 22 |
| OA45 | 4.45 | | 2A45 | 4.85 | 54" | 24 |
| OD40 | 4.35 | | 2D40 | 4.70 | 48" | 24 |
| OD45 | 4.55 | | 2D45 | 4.95 | 54" | 26 |
| OE30R | 4.35 | Plastic | 2E30R | 4.55 | 30" | 25 |
| OE30M | 5.10 | Metal | 2E30M | 5.30 | 30" | 28 |
| OE32R | 4.50 | Plastic | 2E32R | 4.70 | 32" | 24 |
| OE32M | 5.20 | Metal | 2E32M | 5.45 | 32" | 30 |
| OF30R | 4.35 | Plastic | 2F30R | 4.55 | 30" | 25 |
| OF30M | 5.10 | Metal | 2F30M | 5.35 | 30" | 28 |
| OFP30R | 3.30 | Plastic | 2FP30R | 3.50 | 30" | 18 |
| OFP30M | 4.80 | Metal | 2FP30M | 5.05 | 30" | 21 |
| OG32R | 4.50 | Plastic | 2G32R | 4.70 | 32" | 25 |
| OG32M | 5.20 | Metal | 2G32M | 5.75 | 32" | 28 |
| OH40 | 2.65 | | 2H40 | 3.05 | 48" | 15 |
| OH45 | 3.10 | | 2H45 | 3.30 | 54" | 17 |
| OH50 | 3.40 | | 2H50 | 3.60 | 60" | 19 |
| OI40 | 2.40 | | 2I40 | 2.65 | 48" | 13 |
| OI45 | 2.80 | | 2I45 | 3.05 | 54" | 15 |
| OI50 | 3.10 | | 2I50 | 3.30 | 60" | 17 |
| OJ45 | 2.80 | | 2J45 | 3.05 | 54" | 15 |
| OK50 | 3.55 | | 2K50 | 3.80 | 60" | 25 |
| OM45 | 4.45 | | 2M45 | 4.85 | 54" | 26 |
| OM50 | 4.75 | | 2M50 | 5.05 | 60" | 29 |
| OM60 | 5.80 | | 2M60 | 6.10 | 72" | 33 |
| ON45 | 4.45 | | 2N45 | 4.70 | 54" | 22 |
| ON50 | 4.65 | | 2N50 | 4.90 | 60" | 24 |
| OPH4 | 3.20 | | 2PH4 | 3.45 | 48" | 14 |
| OPH45 | 3.65 | | 2PH45 | 3.85 | 54" | 16 |
| OU50 | 4.60 | | 2U50 | 4.85 | 60" | 24 |
| OU55 | 4.95 | | 2U55 | 5.20 | 66" | 26 |
| OU60 | 5.65 | | 2U60 | 5.90 | 72" | 28 |
| OS50 | 3.15 | | 2S50 | 3.35 | 60" | 17 |
| OLR50 | 1.60 | | 2LR50 | | 60" | 12 |
| OAPS4 | 3.45 | | 2APS4 | 3.75 | 48" | 19 |
| OAPS30R | 2.90 | Plastic | 2APS30R | 3.15 | 30" | 17 |
| OAPS30M | 3.95 | Metal | 2APS30M | 4.10 | 30" | 20 |
| OSH4 | 3.85 | | 2SH4 | 4.05 | 48" | 19 |
| OSH45 | 4.00 | | 2SH45 | 4.25 | 54" | 21 |

| GLADIATOR PART NO. | PRICE | DEE TOP | HARVEST KING PART NO. | PRICE | LENGTH | WEIGHT PER DOZ. |
|---|---|---|---|---|---|---|
| OSH30R | $ 3.30 | Plastic | 2SH30R | $ 3.50 | 30" | 17 |
| OSH30M | 4.15 | Metal | 2SH30M | 4.40 | 30" | 20 |
| OSH42R | 4.50 | Plastic | 2SH42R | 4.70 | 42" | 25 |
| OSH42M | 5.60 | Metal | 2SH42M | 5.80 | 42" | 28 |
| OTK44 | 3.25 | | 2TK44 | 3.50 | 44" | 16 |
| OTK46 | 3.35 | | 2TK46 | 3.60 | 46" | 17 |
| OTK4 | 3.40 | | 2TK4 | 3.65 | 48" | 18 |
| OTK24R | 2.60 | Plastic | 2TK24R | 2.80 | 24" | 14 |
| OTK24M | 4.15 | Metal | 2TK24M | 4.40 | 24" | 17 |
| OFS40 | 3.85 | | 2FS40 | 4.10 | 48" | 18 |
| OFS51 | 4.15 | | 2FS51 | 4.30 | 51" | 19 |
| OKK44 | 3.45 | | 2KK44 | 3.70 | 44" | 16 |
| OKK24R | 2.60 | Plastic | 2KK24R | 2.85 | 24" | 14 |
| OKK24M | 3.90 | Metal | 2KK24M | 4.15 | 24" | 17 |
| ORB-4 | 3.85 | | 2RB4 | 4.05 | 48" | 19 |
| ORD4 | 3.15 | | 2RD4 | 3.35 | 48" | 19 |
| OSD4 | 3.25 | | 2SD4 | 3.40 | 48" | 18 |
| WH5* | 5.85 | Packed 6 With Wedges | | | 60" | 38 lb. per 6 |

## PUSHBROOM HANDLES

| STK # | Length | Pack | Weight Per Doz | Cost Each | STK # | Length | Pack | Weight Per Doz | Cost Each | STK # | Length | Pack | Weight Per Doz | Cost Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RAMIN TAPERED — 1¼" DIA. | | | | | RAMIN THREADED 1 9/16" DIA. | | | | | RAMIN METAL THREADED 1 9/16" DIA. | | | | |
| 154 | 54" | 12 | 13 lb. | $1.45 | 354 | 54" | 12 | 12 lb. | $1.10 | 554 | 54" | 12 | 12 lb. | $1.25 |
| 160 | 60" | 12 | 15 lb. | 1.60 | 360 | 60" | 12 | 14 lb. | 1.25 | 5.60 | 60" | 12 | 14 lb. | 1.40 |
| 172 | 72" | 12 | 19 lb. | 2.00 | 372 | 72" | 12 | 18 lb. | 1.50 | 572 | 72" | 12 | 18 lb. | 1.66 |

**All handles packed 12 except WH5 wheelbarrow handles which are packed 6.**

**Any handles shown in Catalog #A85 not listed in this price list have been discontinued.**

***New size 1 9/16" x 1 13/16" x 60"**

### PAYMENT TERMS:

Our terms are 2% - 10 days - net 30. A service charge will be billed on overdue accounts at the rate of 1% per month.

### FREIGHT ALLOWANCES:

All prices are F.O.B. Factory, with full freight allowed on shipments of 250 lbs. or more, east of the Rocky Mountains, defined by the Eastern borders of Montana, Wyoming, Colorado and New Mexico. West of this line there is a $10.00 per CWT freight allowance on orders over 250 lbs. No freight allowance on less than 250 lbs. — order will be shipped freight collect or U.P.S. charges will be shown on invoice.

### RETURNS:

Merchandise may not be returned without our authorization. If authorized, returns will be subject to incoming and outgoing freight charges, a 20% restocking charge, and any charges necessary to return the item to saleable condition.